



Series 500

The Standard Reducing Transition

Available In:

Aluminum Bronze


Carbon Steel

304 Stainless Steel

316 Stainless Steel

Standard SDR Sizes 7, 9, 11, 17

Fully Pressure Rated



Nominal Size (In.)	Poly-Cam Thread Material	HDPE Reducer Diameter A	Coupling Length B	Overall Length C	Coupling Diameter D
1 x .5	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	1.315	1.8	4.72	0.99
1 x .75	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	1.315	1.9	4.74	1.24
1.25 x 1	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	1.66	2	4.78	1.315
1.25 x .75	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	1.66	1.9	6.38	1.24
1.5 x 1	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	1.9	2	6.38	1.315
1.5 x 1.25	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	1.9	2.6	6.38	1.66
2 x 1	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	2.375	2	7.15	1.315
2 x 1.25	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	2.375	2.6	6.88	1.66
2 x 1.5	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	2.375	2.65	6.25	1.9
3 x 2	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	3.5	3	6.88	2.375
3 x 2.5	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	3.5	3.75	6.88	2.875
4 x 2	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	4.5	3	7.38	2.375
4 x 3	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	4.5	4	6.88	3.5
6 x 4	Carbon Steel, C954 Bronze, Stainless 316, Stainless 304	6.625	4.5	11.5	4.5

